San Jose State University SJSU ScholarWorks

Faculty Publications

Health Science and Recreation

11-2020

Impact of mass distribution of long-lasting insecticidal nets (LLINs) in Mozambique, 2011 to 2025: Retrospective and prospective modelling of child mortality and lives saved

Erica Wetzler World Vision US

Jorge A. H. Arroz World Vision Mozambique

Chulwoo Park San Jose State University, charles.park@sjsu.edu

Marta Chande World Vision Mozambique

Figueiredo Mussambala World Vision International

Follow this and additional works at: https://scholarworks.sjsu.edu/healthsci_rec_pub

Part of the International Public Health Commons, and the Public Health Education and Promotion Commons

Recommended Citation

Erica Wetzler, Jorge A. H. Arroz, Chulwoo Park, Marta Chande, and Figueiredo Mussambala. "Impact of mass distribution of long-lasting insecticidal nets (LLINs) in Mozambique, 2011 to 2025: Retrospective and prospective modelling of child mortality and lives saved" *American Society of Tropical Medicine & Hygiene's 2020 Virtual Annual Meeting* (2020).

This Presentation is brought to you for free and open access by the Health Science and Recreation at SJSU ScholarWorks. It has been accepted for inclusion in Faculty Publications by an authorized administrator of SJSU ScholarWorks. For more information, please contact scholarworks@sjsu.edu.

World Vision

Impact of mass distribution of long-lasting insecticidal nets (LLINs) in Mozambique, 2011 to 2025: Retrospective and prospective modelling of child mortality and lives saved

Erica Wetzler, World Vision US; Jorge A. H. Arroz, World Vision Mozambique; Chulwoo Park, Department of Public Health and Recreation, San Jose State University; Marta Chande; World Vision Mozambique; Figueiredo Mussambala, World Vision International.

Introduction

- In 2017, malaria was the leading cause of post-neonatal deaths in Mozambigue.
- Use of long-lasting insecticidal nets (LLINs) is one of the most effective ways to reduce malaria mortality in children.
- In 2011, Mozambigue committed to expansion of LLIN coverage nationwide, culminating in the first countrywide campaign in 2017, reaching 95% of registered households.
- Vital registration data to measure changes in mortality are not available in Mozambique.
- No provincial or national level mortality estimates in Mozambique since 2011.
- No previous analyses have estimated changes in mortality attributable to the distribution and scale-up of LLINs in Mozambique, accounting for differences in disease and mortality patterns, and coverage of maternal and child health interventions between provinces.

Maputo, estimated at about 22 million people in 2011.

Additional outcomes:



Photo credit: World Vision Malaw

Methods

- The NetCALC tool estimated provincial household LLIN coverage based upon actual LLINs distributed from 2012 to 2020.
- NetCALC also estimated net replacement needed to maintain universal coverage from 2021 to 2025.
- Using the estimates from NetCALC, along with key underlying demographic and mortality data, and changing intervention coverage estimates, the Lives Saved Tool (LiST) estimated child mortality and "lives saved" for children under-5 years of age.
- 3 sets of LiST models were created for each province:
 - · Counterfactual, which assumed no distribution of LLINs after 2011 (decline in coverage).
 - Coverage based upon actual LLINs distributed through 2020.
 - LLIN coverage if universal coverage is maintained through . 2025.
- Results from 3 models were summed to estimate the total lives saved attributable to LLIN distribution.
- Under-5 all-cause mortality rates were projected in the baseline model (no LLIN distribution) and in the LLIN distribution model.

Results



Total LLINs distributed & estimated lives saved, children under-5. Mozambigue, 2012 to 2020



Photo Credit: Photoshare

Discussion

Our results show greater number of lives saved due to LLIN distribution than other studies that used the LIST to estimate lives saved attributable to LLIN ownership in Mozambigue. Why?

- · Coverage levels for other interventions remained static in our study.
- · Coverage levels of LLIN ownership steadily increased starting in 2012, while previous studies focused on time periods when LLINs coverage had not yet been expanded.
- The counterfactual model did not keep LLIN coverage constant, but modelled reductions in coverage had no LLINs been distributed. Limitations
- Coverage by Indoor Residual Spraying (IRS) was not included in the analysis, but most areas covered by IRS were also covered by LLINs.
- Analysis focused only on children under-5, underestimating the full impact of LLIN distribution on the population.

Conclusions

- The LiST and NetCALC tools used together are useful to estimate lives saved and mortality where vital registration data are not consistently available.
- · Multiple analyses have shown that continued investment in LLINs can result in substantial reductions in child mortality and lives saved.
- Sustaining universal coverage of LLINs may be more feasible than scaling and maintaining coverage of other key child health interventions such as ACT treatment for malaria.
- Mass LLINs campaigns are last-mile solutions to help close the equity gap. In Mozambique, LLINS only need to be delivered every three years, reaching the most remote vulnerable areas.

Authors and Acknowledgements

Doctor Jorge A.H. Arroz, who was instrumental in designing this study, passed away while the final analysis was underway. Dr. Arroz dedicated his life and career to improving the health of the people of Mozambigue. The authors would also like to acknowledge the contributions of communities in Mozambigue who help make the distribution of LLINs possible, and the commitment and dedication of the National Malaria Control Program, and district and provincial health authorities.





Estimated change in under-5 mortality rates (per 1.000) with and without LLIN distribution, and universal coverage (UC) after 2020